	Hits	Search Text	DBs
1	1	link.in. and davidescu.in.	USPAT; US-PGPUB
2	337	"dump mode"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	59	"dump mode" and memory and test\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	12	"dump mode" and memory near3 test\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	5090	713/164-165,193,200;714/718,763,807.co	USPAI; US-PGPUB
6	2	713/164-165,193,200;714/718,763,807.cdls. and "dump mode"	USPAT; US-PGPUB
7	26	5058164.URPN.	USPAT
8	2	("4087626" "4157454").PN.	USPAT
9	60	"dump mode" and ((memory or data) near5 (access or protect\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	74	("dump mode" or "memory dump" or "rom dump" or "eprom mode") and (checksum or crc or singature or hash)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	1	"dump attack" with memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	404	713/193.ccls.	USPAT
13	0 2	713/193.ccls. and ((stop\$3 or prevent\$3) near3 (intermediate near2 (result or output or signal or value)))	USPAT
14	109	(checksum or crc) with (intermediate near2 (result or output or signal or value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	35664	(protect\$3 near3 (data or memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
16	6606	and (crc or checksum or signature or mac)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
17	50		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
18	0	713/164-165,193,200;714/718,763,807.cc ls. and ("dump mode" or "memory dump" or "rom dump" or "eprom mode") with (checksum or crc or singature or hash)	USPAT; US-PGPUB
19	16	713/164-165,193,200;714/718,763,807.cd ls. and ("dump mode" or "memory dump" or "rom dump" or "eprom mode")	
20	0	6230291.URPN.	USPAT
21	3	("5506396" "5534786" "6006345").PN.	USPAT
22	1	dump near5 attack with memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
23	5090	713/164-165,193,200;714/718,763,807.cc	USPAT; US-PGPUB
24	22	crc))	USPAT; US-PGPUB
25	5090	713/164-165,193,200;714/718,763,807.cc ls.	USPAT; US-PGPUB
26	3	713/164-165,193,200;714/718,763,807.cc ls. and ((\$3rom near3 scan) same (checksum or crc))	USPAT; US-PGPUB
27	1	("5022077").PN.	USPAT
28	243	(bios near2 rom) with (checksum or crc or sign\$5 or hash\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	16	((bios near2 rom) with (checksum or crc or sign\$5 or hash\$3)) not signal\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	1	("6411941").PN.	USPAT
31	1	("5421006").PN.	USPAT
32	7	((checksum or crc) with rom) and samsung	USPAT; US-PGPUB
33	69	(microcontroller\$1 near2 (advantage\$1 or benefit\$1)) and @ad<20001127	USPAT
34	25	"5305460" "5355466" "5379443" "5396609" "5404450" "5404547" "5432950" "5446864" "5557743" "5581763").PN.	USPAT

BEST AVAILABLE COPY

	Hits	Search Text	DBs
35	15342	reset near5 latch\$3	USPAT
36	2318	reset near3 latch\$3 near6 gate and @ad<20001127	USPAT
37	70	(reset near3 latch\$3 near6 gate) and ((software or data) near2 protect\$3)	USPAT
38	1230	(reset near (circuit or means)) with latch	USPAT
39	19	((reset near (circuit or means)) with latch) and ((software or data) near2 protect\$3) and @ad<20001127	USPAT
40	2	reverse\$1engineer\$3 with (checksum or crc)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	26	((reverse\$lengineer\$3 or trac\$3) near2 (program or code)) with (checksum or crc)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	2	((reverse\$1engineer\$3 or trace or tracing) near2 (program or code)) with (checksum or crc)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
43	200	((verif\$7 or authentic\$5) near2 (program or code)) with hash\$3	USPAT
44	2	("5787367" "5844986").PN.	USPAT
45	136	((device or system) near2 reset\$3) with exit\$3	USPAT
46	13	((device or system) near2 reset\$3) with (exit\$3 near3 (routine or module or execut\$3))	USPAT